

Diving Light Brightness Assessment

Manufacturer: <i>SHENZHEN KECHUANG FIRE TECHNOLOGY</i> Model: <i>KC FIRE XHP70 5000 LUMENS LED</i> URL: <i>ALIBABA</i>	Test Date: <i>17-7-2017</i>
--	--------------------------------



Shape	Primary Cone	Secondary Cone	Square	Other
Height	<i>17-20 cm</i>	<i>150 cm</i>	<i>NA</i>	<i>NA</i>
Width	<i>17-20 cm</i>	<i>150 cm</i>	<i>NA</i>	<i>NA</i>



Cones	Single Cone	Double Cone	Phased	Spherical
Angle1 Horizontal	<i>9.7-11.4°</i>	<i>73.7°</i>	<i>[Handwritten scribble]</i>	<i>[Handwritten scribble]</i>
Angle 1 Vertical	<i>9.7-11.4°</i>	<i>73.7°</i>		
Angle2 Horizontal	<i>N/A</i>	<i>N/A</i>		
Angle 2 Vertical	<i>N/A</i>	<i>N/A</i>		

Lux	First Cone	Second Cone	Phased <i>2ND</i>	Rear
Lux 1	<i>37326</i>	<i>629</i>	<i>683</i>	<i>212</i>
Lux 2	<i>26654</i>	<i>719</i>	<i>666</i>	<i>182</i>
Lux 3	<i>27784</i>	<i>635</i>	<i>627</i>	<i>196</i>
Lux 4	<i>26879</i>	<i>612</i>	<i>[Handwritten scribble]</i>	<i>208</i>
Lux 5	<i>27165</i>	<i>644</i>		<i>201</i>